Release Notes For InTouch Edge HMI

InTouch Edge HMIv8.1 + Service Pack 4 (Monday, May 20, 2019)

ID	Туре	Description
31360	lssue	Mobile Access - Resolved issue with the Trend Control object not properly displaying the Trend curves when the Tags were configured in multiple Trend Worksheets
31602	lssue	Modified the OPC DA 2.05 Client to better manage invalid values sent by the Server
31650	Issue	Mobile Access - Modified the text wrap in objects that have captions so it matches the behavior of the Viewer module
33081	Issue	Resolved memory allocation management issue on both Standard Embedded and Compact Embedded runtimes
33187	Issue	Resolved issue with the Trend Control object when using the option to Save the Settings to a file, not properly handling the Date and Time information
33334	lssue	Resolved issue with the Viewer module that was allowing the user to close it regardless of the Security System configuration.
33364	lssue	Mobile Access - Implemented all the possibilities for the built-in Format() function
33382	Issue	Resolved issue with the Dynamic Rotation not working correctly with Linked Pictures
33474	Issue	Resolved issue with the Legend of the Trend Control object that was not updating the Description column when the pens were changed
33502	lssue	Changed the OPC XML-DA and UA Client to send to the Output Window the line number where an invalid or bad-quality item is configured and the Item path information. Changed also the OPC XML-DA and UA to log to the Output Window when the task starts, stops and when it removes and adds groups.
33505	lssue	Resolved issue with the OPC XML-DA task that would cause some items to stop working if at least one item on the worksheet was receiving a value with a BAD Quality from the Server
33512	lssue	Resolved issue with the Trend Control object that would become unstable when user configured some indirect tags
33515	lssue	Resolved issue with the Trend object showing some GAPs when configured for mySQL Database.
33551	lssue	Resolved issue with the Trend object showing some GAPs when configured for Database, Local Time, and leaving the screen open overnight
33692	lssue	Tag Integration - Resolved issue with Tag Integration feature where the tag field CommUrl was not getting updated when a Class Member from an Integrated Tag changed, causing communication errors during the runtime.
33698	lssue	Resolved issues with the OPC UA and XML-DA Clients, related to the Redundancy and Tags configured in the worksheets with the Scan column set to "Screen"
33770	lssue	Resolved issue with the Grid Control object when embedded in a Linked Symbol, that was not properly handling the "Read Only" option on the Data Source Settings.

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
33817	lssue	Resolved issue with a situation when you had multiple Secure Viewer Thin Clients connected to the one TCP/IP Server, in which closing one Secure Viewer connection would cause all the other Secure Viewers connections to be dropped.
33823	lssue	Mobile Access - Resolved issue that was causing the pages to be shifted to the right when opening for the second time
33852	lssue	Resolved issue with the built-in Open() function that was no longer working when being called from Background Tasks when call included custom properties (optStrMnemonicList optional parameters)
33853	Issue	Resolved issue with the built-in Open() function that was no longer working when being called from Background Tasks on Windows 7.
33856	Issue	Resolved issue with the Alarm Control object that would not correctly display messages that included a hyphen.
33863	Issue	Resolved issue with the PrintWindow function that was not working properly wher the trying to print a Screen with a Trend Control that was generating new points
33877	lssue	Disabled the execution of some built-in functions as String Expressions (between curly braces), and updated product interfaces/dialogs that were executing functions as String Expressions unnecessarily.
33887	lssue	Resolved issue with the OPC UA Client module that would have problems when a large number of worksheets were using the same Connection configuration.
33932	Issue	Resolved issue with the Remote Management tool that was not automatically downloading a screen to the runtime system if the screen name included a dot "." character
33979	Issue	Mobile Access - Modified the font size presentation on the text box object so it matches the behavior of the Viewer module
33985	lssue	Mobile Access - Resolved issue with the caption in a Rectangle object showing a duplicated text when the multiline option was checked.
33987	lssue	Mobile Access - Modified the Rectangle's caption to properly handle multiple lines when the character 0x0D (13d) is used as a line feed
33988	Issue	Mobile Access - Modified the Dynamic Color animation to show the object's original color when the Tag/Expression value does not match with any of the configured colors. This behavior now matches with the Viewer module
33993	Issue	Mobile Access - Modified the Text Object to have its text aligned the same way as i is on the Viewer module
34030	Issue	Resolved issue with the input validation, during the runtime, when entering invalid values in a numeric field and then touching anywhere in the screen, that would cal the "Invalid Entry" window to popup in a way that would block the system.
34054	Issue	Optimized the way the OPC XML-DA module reads the worksheets, enhancing the performance during the Runtime
34060	lssue	Resolved issue with the CheckESign() built-in function that was causing the system to become unstable when being called from the background tasks.
34080	Issue	Improved the performance of the Built-in SetTagValue() function
34081	lssue	Resolved issue with the Trend task that would create instability when inserting a large amount of data at once at the Historian databases.
34108	Issue	Resolved issue with the Driver Task that would cause Tags configured with the Scan set to "Screen" only, to continue reading when they were used in a VBScript, and

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
		the screen containing that script was opened at least once
34111	lssue	Resolved issue with the performance of the OPC XML-DA runtime tasks when the worksheet had a large number of items
34129	Issue	Mobile Access - resolved incompatibility issues with Windows 10 build 1809 or later.
34173	Issue	Improved robustness to avoid (randomly) not displaying Linked Pictures in a group of objects.
34191	Issue	Modified the Secure Viewer to show the Virtual Keyboard when the Log On window is first displayed
34286	lssue	Mobile Access - Resolved issue with the Trend Control object not working properly depending on the Operating System Localization settings, specifically when the Decimal Separator was different than "dot".
34321	lssue	Resolved issue with the OPC UA Client task that was not properly obeying the Parameter "Send Last State", which is configured under the Project Settings, Communications, Drives and OPC.
34350	Issue	Resolved an issue preventing tags from receiving values when their name have specifically 255 characters, and whose class type also had specifically 255 characters in their name.
34370	Issue	Resolved race condition when having several Secure Viewer Thin Clients connected to the same server, and some of them not being able to reconnect to that server
34378	Issue	Resolved issue with the OPC UA Client task that was not always properly reconnecting with the Server once the connection was lost
34408	Issue	Resolved issue with the OPC XML-DA Client that was becoming unstable when there fields with empty values on the worksheet cells.
34416	lssue	Mobile Access - Resolved issue with the actual Process Values update rate not being fully compliant with the value set in the Mobile Access Settings
34419	Issue	Mobile Access - Resolved issue with the "Hide All Screens" parameters causing instabilities when there was a Custom Widget on the screen
34477	Issue	Mobile Access - Resolved issue with the "Hide All Screens" parameter that would cause the Command property to stop working after opening screen with objects such as Alarm and Grid Control, and closing them
34496	lssue	Resolved issue with the TCP/IP Server that would become instable when a large volume of data was received from different TCP/IP Clients
34513	lssue	Resolved issue with the TCP/IP Client and Server tasks that would record a wrong Time Stamp value when the connection was broken and reestablished
34516	Issue	Resolved issue with the TCP/IP Server that was not closing properly when stopping and having several Clients connected with that Server
34528	Issue	Resolved issue with the OPC XML-DA Client task that was not working when trying to dynamically reload changes during the runtime.
34533	Issue	Mobile Access - Modified the caption position within the Smart Message object, so it would match with the behavior of the Viewer module
34534	lssue	Modified the HTML pages created with the "Save as HTML" and "Save All as HTML commands to save these files in UTF-8 format, so it start supporting screens with Descriptions containing non-Latin characters
34540	Issue	Resolved issue with the configuration window inside the Trend worksheets that,

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
		when selecting the Historian (InSight), sometimes the fields on the window would show out of place, depending on the computer resolution.
34559	lssue	Mobile Access - Resolved issue with the Mobile Access task not being able to reconnect with the TCP/IP Server task once the connection was lost
34662	lssue	Resolved issue with the VBScript debugging feature that would cause the system to not close gracefully once it has been used.
34670	Issue	Mobile Access - Modified the way that the Dynamic Properties are processed in order to improve performance and avoid trying to resolve expressions in fields that are not being used
34698	Issue	Resolved issue with the OPC UA Client that would be cause instability when trying to reconnect to the Server
34787	lssue	Resolved issue with the TCP/IP Server not closing gracefully when there are several Clients with Several points connected simultaneously with the Server
34829	Issue	Resolved issue with a race condition with the Security System in LDAP.
34830	Issue	Improved the stability of the Database Gateway.
34838	lssue	Resolved issue with the Calendar Custom Widget that was not getting the last state when the user was trying to navigate through the object.
34902	Issue	Mobile Access - Resolved issue with Arrays of Indirect Tags.
34931	lssue	Resolved issue with the OPC UA Client module with Redundancy configured that was not able to switch between Servers when too many Client worksheets were connected to the same Connection configuration
34945	Issue	Resolved issue with the Multi-touch feature that was causing the screen to redraw inconsistently when panning and zooming.
34946	Issue	Resolved issue with Tag Integration imported Tags being used on VBScript within Linked Symbols.
35051	lssue	Mobile Access - Some of the objects dynamic animations were optimized allowing a better runtime performance.
35072	lssue	Resolved issue with OPC UA Client, when using one of the available security modes, that would become unstable when the OPC Server is no longer available.
35084	Issue	Resolved issue with Hardkey Licenses not working as expected on EmbeddedView runtime.
35096	lssue	Resolved instability issues related to Separators for Date and Time in certain objects, such as the time bar for the Trend Control.
35101	lssue	Resolved issue with the OPC XML-DA and OPC UA Client not always stopping communicating when a Tag was configured in the "Enabled Subscription" field, and it changed back to 0.
35559	lssue	Resolved issue with the OPC XML-DA and UA, related to the built-in redundancy, where if the user forced switching connections by writing to the Tag on the "Active Connection" field, it would not automatically create the new subscriptions for the Tags. This issue was happening only in large projects, such as with over 200,000 OPC items.
35571	lssue	Modified the OPC UA Connections "Advanced" dialog window to remove the following deprecated parameters: "First Read Max Age(s)" and "Verify missing notifications (Republish)".
35597	Issue	Resolved issue with the Development Environment becoming unstable when

11/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
		inserting some System Symbols in certain specific screens.
31910	Requirement	Added additional Demo projects as part of the installation process
32501	Requirement	Mobile Access - Implemented support for the SetLanguage and Ext built-in function, allowing the user to switch Project languages during the runtime, adding Localization capabilities.
33001	Requirement	Mobile Access - Implemented the "Enable Focus" capabilities on dynamic properties for Mobile Access.
33005	Requirement	Mobile Access - Implemented the Margin Property for the Button object.
33471	Requirement	On the OPC UA Client Task, implemented support for configuring communication with Arrays and Classes/Structures using only a single line, as long as the Array size is the same on both Client and Servers, and the Client Classes match with the Server structures
33637	Requirement	Resolved issue with the TCP/IP Communications that sometimes, in larger projects with several clients, would cause the Client module to send what seemed to be invalid commands to the Server
33663	Requirement	Modified the "Save All as HTML" and "Save as HTML" commands to also enable Mobile Access using the default parameters. Before this change, the user needed to open at least once the Mobile Access configuration worksheet and save it, even without any changes, in order to use Mobile Access.
33688	Requirement	The built-in function CheckESign has been enhanced and it now accepts two optional parameters: User Name and Password. When this function is called with these parameters, it will not open the E-Sign dialog, but use the parameters that were passed and check them against the optNumLevel.
33769	Requirement	Modified the Tags Database manipulation, specifically when Indirect Tags are present
33790	Requirement	Modified some of the existing Log Messages of the OPC UA Client module, to indicate the Group that generated the message, and added new ones to help troubleshooting projects
33814	Requirement	Resolved issues that would cause the RunGlobalProcedureOnServer to become unstable under certain conditions
33938	Requirement	Resolved issue with the built-in ShowMessageBox() function that was not working properly on Windows Embedded Compact 7 running on an ARM processor.
33966	Requirement	Created a new option at the OPC XML-DA Client advanced worksheets that allows the user to select it to force a Read operation upon connecting with the Server
33982	Requirement	Mobile Access - Added the "push-like" capability on Radio Buttons, now has the same behavior as the Viewer module.
34094	Requirement	Mobile Access - Added Sort capabilities to the Alarm Control object, now has the same behavior as the Viewer module.
34151	Requirement	Added a new functionality on the Security System when in LDAP mode, to be able to also have access to users that were created in Local Mode. This is an addition to the "Mixed Mode" feature, that worked as a backup if the connection with the LDAP Server was lost. You can configure this new parameter under the "LDAP Advanced Settings" tab, checking the "Include Local Users" option. This will allow the project to access both Local Users and LDAP Users.
34531	Requirement	Mobile Access - Added the "push-like" capability on Check Boxes, now has the same behavior as the Viewer module.

34622	Requirement	Implemented an option to let the user decide whether or not to buffer images from Linked Pictures. If you do not configure anything extra, the images are saved in memory so they can be reloaded faster once the screen is open. If the user wants to configure the images to be always read from the disk, they can edit the .APP file, under [Options] section, entering AlwaysLoadImagesFromDisk=1
34658	Requirement	Mobile Access - Added Support for the TranslationLoad built-in function
34659	Requirement	Mobile Access - Added Support for the TranslationLookUpLoad built-in function
34660	Requirement	Mobile Access - Added Support for the TranslationLookUpClose built-in function
34661	Requirement	Mobile Access - Added Support for the TranslationLookUpGet built-in function
35241	Requirement	Increased the limit of rows for the Event Logger configuration window to 96000.
35435	Requirement	Resolved issue with Text object with Text Data Link property not hiding the text when it was configured to be in password style, in certain specific situations.
35571	Requirement	Modified the OPC UA Connections "Advanced" dialog window to remove the following deprecated parameters: "First Read Max Age(s)" and "Verify missing notifications (Republish)".
35726	Requirement	Modified the Text on the Remote Agent for Embedded Runtimes related to Licenses.
35759	Requirement	Resolved issue that could cause the system to fail to start when certain 3rd-party libraries had problems with registry entries.

InTouch Edge HMIv8.1 + Service Pack 3 (Monday, January 28, 2019)

ID	Туре	Description
26651	Issue	Resolved issue with the Tags configured to have Main Driver Sheet "Scan" setting configured for "Screen" and being used on Linked Symbols
26717	lssue	Resolved issue with the Database/ERP task showing error messages after a certain interval of time without activity
27071	lssue	Mobile Access - modified the Grid Control object to have the font color being changed upon a row selection, just like on the Viewer runtime module
27072	lssue	Mobile Access - Modified the Grid Control object to allow hiding a column by creating it with a blank label, just like on the Viewer runtime module
27073	lssue	Mobile Access - Resolved issue with the Grid Control object not working properly when the Data source was configured as Database
27074	lssue	Mobile Access - Resolved issue with the Grid Control object related to the Selected Values and Row Number fields
29732	lssue	Resolved issue with the Combo Box object displaying wrong values when they are part of groups
30379	lssue	Resolved issue with the Trend Control object not working properly on Windows CE runtime when trying to select a Date through the Legend
30619	lssue	Modified the build-in functions EndTask and IsTaskRunning for Embedded runtimes for Windows Embedded Standard and Compact to allow the user to specify a driver name when handling the Driver runtime task, so now it works the same way as it does on full Windows Runtime

6/11/2019

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
30686	Issue	Updated translation text for some untranslated dialogs when selecting a language for the Development Environment different than English
30704	Issue	Resolved issue with the SaveScreenShot function no longer working if the user omits the optional parameters
31105	Issue	Modified the error message that is being displayed when the user opens the product but the project that was last open is no longer available on the same place
31364	Issue	Mobile Access - Resolved issue with the Timestamp Tag Property not being displayed on Mobile Access
31365	Issue	Resolved issue with the Built-in function GetUserNames no longer working when the results included users created on the Development Environment and during the Runtime
31416	Issue	Resolved issue with the Runtime Menu option "Logon", that would cause the Tags configured with Server scope to stop updating while the Logon dialog was open
31486	Issue	Mobile Access - Resolved issue that would cause the Mobile Access task to become irresponsive when certain commands were being sent through a URL
31521	lssue	Mobile Access - Resolved issue with Mobile Access generating an error message saying "Type Mismatch" when the project used expression with Strings
31581	lssue	Modified the code to be more cyber-secure and avoid exploitations through DLLs replacements
31649	lssue	Mobile Access - Resolved issue with the Smart Message object not displaying the messages in the right place when the runtime was configured to show borders
31653	Issue	Resolved issue with the built-in function ShowInplaceInput that was no longer working with the Virtual Keyboards
31689	Issue	Resolved issue with the Trend Control that would become instable if the user entered a duration of 100 hours or more using the Toolbar
31710	Issue	Resolved issue with the EmbeddedView runtime not starting properly due to the need of an external dependency
31739	lssue	Resolved instability issue with the Remote Debugging Tools (Database Spy and LogWin) that would cause them to close when user tried to browse the target runtime for tags
31749	Issue	Resolved issue with the Viewer module not being able to reload after the server ran scripts using some of the built-in Tags Database functions
31826	Issue	Resolved issue with the Virtual Keyboards not working on Windows Embedded Compact (Windows CE) runtime
31834	Issue	Mobile Access - Added the Visibility dynamic animation to the Trend Control object
31900	Issue	Mobile Access - Resolved issue with the Trend Control object no working properly when the "Hide all screens" feature was enabled
31901	Issue	Resolved issue with the Grid Control Object no longer updating text files and Databases when the column type was configured as Check-Box
31905	Issue	Resolved issue with the built-in functions XGet and XRun no longer working
31911	Issue	Mobile Access - Resolved issue with the Logon screens not working when clicking on the green arrow
31969	Issue	Resolved issue with the Secure Viewer Thin Clients receiving wrong values when new Tags were created during the runtime on the Server project

6/11/2019

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
31976	Issue	Resolved issue with the PrintSetup function that stopped working on the latest version
31978	Issue	Resolved issue with the PrintWindow function not working properly when configured without the optional parameter that defines that orientation
31979	lssue	Resolved issue with Linked Symbols no longer showing more than one Custom Property when they were configured in an expression
32027	Issue	Mobile Access - Resolved issue with the Trend Control displaying the context menu upon right-clicking on it
32033	Issue	Mobile Access - Resolved issue with the command animation being executed twice when activated in devices with touch screen
32072	Issue	Mobile Access - Resolved issue with the Grid Control object not respecting the Row Number field when loading for the first time
32079	Issue	Resolved issue with the built-in function SetKeyboardLanguage that was no longer reading the configuration files
32080	Issue	Mobile Access - Resolved issues with the Trend Control related to the Legend fields (Selected item, maximum size and number of items) as well as Tag/Field and Fill Transparency
32083	lssue	Mobile Access - Resolved issue on the Grid Control object where when there was an array tag in the Selected Values field and you click on a row, then all of the grid columns from the selected row were written to the array tag except for the last column
32125	Issue	Resolved issue on Windows Embedded Standard where the Alarm Control object was no longer working
32166	Issue	Mobile Access - Resolved issue with the dynamic animations Bargraph and Color not working properly when both were applied to the same object
32284	Issue	Mobile Access - Resolved issue with the Trend Control object causing instability when a date with an invalid value was being entered
32351	lssue	Resolved issue with the OPC XML/DA Client related to the possibility of configuring arrays sizes on the worksheets
32353	lssue	Resolved issue with the OPC XML-DA Client module that was preventing it from Writing to Array Tags.
32368	lssue	Resolved issue with some PDF features, such as Report to PDF and the built-in PdfCreate built-in function no longer working
32431	lssue	Resolved issue with the Alarm Task, when trying to configure it to automatically send emails, started to have the "Subject" field always set to "Use Alarm Message" and not allowing the configuration to "Custom" to work
32446	Issue	Resolved issue with String tags and certain functions that no longer working with up 1024 characters.
32460	Issue	Resolved issue with the legacy OPC DA 2.05 Client task that was not properly reading array values.
32527	Issue	Modified the size of the LogOn window to allow the text to properly fit in all supported languages
32545	Issue	Resolved issue with the Data Protection module that no longer allowed the user to change the password if one was already set.
32791	Issue	Resolved issue with the Symbol Library not showing symbols that were created

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
		using images in the PNG format
32794	lssue	Resolved instability issues in the communication between the Viewer module and the TCP/IP Server in certain large projects
32801	Issue	Resolved issue with the Object Finder window not properly sorting the functions that were displayed
32811	Issue	Resolved issue with the Alarm task that no longer was sending the Alarm message to the printer
32986	Issue	Resolved issue with the built-in function HST2TXT that was not working properly in certain conditions
33043	Issue	Resolved issue that was preventing certain communication drivers that use authentication and certificates to work properly.
33045	lssue	Resolved issue that was preventing projects with Custom Widgets on their screens to have them being downloaded via Remote Management to a remote runtime and working properly
33052	lssue	Resolved issue with the Custom Widgets no longer working on Web Thin Clients
26389	Requirement	Mobile Access - Resolved issue with the Combo Box object not writing the values to the Tag configured on the "Label" field the screen is first open
29295	Requirement	Resolved issue with the Secure Viewer Thin Client having conflicts when more than 1 station tried to open screens at the same time.
30014	Requirement	Modified the Output Window debugging tool properly display the object ID number when it contains an invalid Tag name
30409	Requirement	Mobile Access - Added Focus capabilities to some objects
30742	Requirement	Modified the built-in DeleteOlderFiles function to have it working the way it was working in previous versions, allowing the user to configure only a date, without the need to specify a time.
30825	Requirement	Modified the Security System configuration window to display a message warning the user of the behavior difference that will be expected when changing this parameter
30989	Requirement	Mobile Access - modified the way that the messages are exchanged between the Client and Server runtimes, moving some of the information that was being sent in the message header to be sent in the body, allowing the user to encrypt that information if they enable HTTPS
31014	Requirement	Mobile Access - modified the way that the Texts are wrapped on the objects with Caption so it would match with the way it is on the Viewer module
31021	Requirement	Mobile Access - modified the Button objects text alignment to match with the Viewer module
31024	Requirement	Mobile Access - Resolved issues with the build-in functions SetBit, GetBit and ResetBit
31276	Requirement	Modified the PanelMate Import Wizard to allow Dynamic Text Resizing for the Readout Indicators with Setpoint
31277	Requirement	Updated the PanelMate Import Wizard Indicator object to support Dynamic Text Style
31278	Requirement	Modified the PanelMate Import Wizard to allow users to configure the font type for the imported objects

		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
31279	Requirement	Added support to creating User Names on the proprietary Security System using special characters such as "@" and "."
31280	Requirement	Improved the performance of the Development Environment when handling screens with multiple Text and Combo boxes
31281	Requirement	Improved the Retentive Value feature for String Tags to support the pipe " " character
31282	Requirement	Improved the PanelMate imported projects to have a better space distribution when using Dynamic Size
31283	Requirement	Modified the Security Settings to enforce the limitations when trying to open documents displayed on the Find/Replace Results window
31286	Requirement	Modified the Find Replace results Window to stop showing the contents of files when the logged user does not have access to them
31572	Requirement	Improved the development environment performance when handling screens with a large number of combo boxes and text boxes.
31584	Requirement	Mobile Access - Modified the following objects to start accepting animations on Mobile Access: Grid Control, Alarm Control and Trend Control
31588	Requirement	Implemented a new Tag Integration Data Source to allow communications through OPC UA Client
31692	Requirement	Implemented a new Database Spy debugging Tool interface which is firewall- friendly and based on HTML5
31756	Requirement	Updated the Database Gateway to start using the latest .Net framework version, allowing to make use of TLS1.2. Also, the Gateway settings were updated for the latest Microsoft SQL Server connectors
32000	Requirement	Implemented a new Tag Integration Data Source to allow communications through OPC DA Client
32044	Requirement	Improved the performance when loading Virtual keyboards on Secure Viewer Thin Clients
32081	Requirement	Mobile Access - Resolved issue with the Grid Control object not working properly when the Query included certain specific characters such as greater than and less than
32115	Requirement	Mobile Access - Added support for static GIF images on linked pictures
32327	Requirement	Modified the PanelMate Import Wizard to allow the Readout object to show the Setpoint on the right place with a white background
32451	Requirement	Modified the OPC XML-DA Client Task to allow the user to configure the Array position on the "Browse path" field
32642	Requirement	Added additional by enforcing authentication in commands sent to the TCP/IP Server
32643	Requirement	Modified the TCP/IP Server module to accept only Database Connection names when handling Database/ERP functions, no longer accepting a full path and file name.
32645	Requirement	Added additional security by no longer allowing certain functions to work when configured as string expressions between curly brackets (braces) - the information whether the function is support or not in these conditions has been updated on the Technical Reference manual

/11/2010		
		the TCP/IP Communications and the Viewer module
32697	Requirement	Mobile Access - added support to rotated Linked Pictures
32704	Requirement	Improved the memory allocation management for the OPC XML-DA and UA Client tasks, specifically when the worksheets are configured only to read items, and when the Project Settings - Communication - Driver and OPC are configured for "Send Every State"
32736	Requirement	Updated some text translations for multiple languages.
33345	Requirement	Resolved vulnerability from Third-party license component by updating them to their latest versions
33377	Requirement	Resolved issue with the Tag Integration for the Siemens TIA Portal that was not working properly in certain situations

InTouch Edge HMIv8.1 + Service Pack 2 (Thursday, October 25, 2018)

ID	Туре	Description
26403	Issue	Resolved issue with the Viewer module being reloaded after changing retentive Tag properties during the runtime
26651	Issue	Resolved issue with the Tags configured to have Main Driver Sheet "Scan" setting configured for "Screen" and being used on Linked Symbols
26690	Issue	Resolved issue on the Development Environment with Linked Symbols accidently being resized after saving all documents at once
26738	Issue	Resolved issue with the Custom Properties not properly handling numeric values
26739	lssue	Resolved issue with the Trend Control object not updating the Cursor Output information with negative values
27102	Issue	Resolved issue with the Text Box object when using multiple lines and an array tag
27107	Issue	Resolved issue with VBScript MsgBox function when using Custom Properties
27268	Issue	Resolved issue with password protection length for individual project documents
27330	lssue	Corrected an issue that incorrectly granted a user, under certain conditions, elevated permission for the e-sign.
27432	lssue	Resolved issue with the Trend Task not saving the value 0 to the Database when the 'Save on Tag change' option was selected
27458	lssue	Resolved issue with Data objects (Alarm, Trend, Grid) not working as expected on EmbeddedView
27459	lssue	Resolved issue with the Combo Box position on the Development Environment when Title bars were configured for the Screen and for the Viewer runtime
27613	lssue	Corrected an issue that prevented visibility animation on text box grouped objects when more than one object was on the screen.
27718	lssue	Resolved issue with the Secure Viewer Thin Client not closing the runtime when using the windows "Close window" button
27929	lssue	Resolved issue with the Development Environment, when editing screens, allowing certain dialogs to remain open once their parent windows have been closed, causing instabilities.
27944	Issue	Resolved issue with the Linked Symbol wrongly showing a Compile Error message

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
		on the Output Window in certain situations
27982	lssue	Mobile Access - resolved issue with Indirect Tags pointing to Tags configured with Local scope
28004	Issue	Resolved issue with the built-in SaveScreenShot() function no longer working as expected
28020	lssue	Resolved issue with the Mobile Access feature and the Tags update priority when there are tags in the Graphics_Script being constantly updated
28453	Issue	Mobile Access - Resolved issue with the GRID Control object not being able to update the Data Source when the user writes a new value
28574	Issue	Resolved issue with the Output Windows/LogWin showing the wrong information for the OPC UA Client module when it was configured without the "Browse Path" information.
28849	lssue	Resolved issue with the GRID control, on the 'Condition' field, where the 'LIKE' and 'NOT LIKE' fields were not working consistently in all different Data Sources
28926	Issue	Resolved issue with the OPC UA Client module having problems to write after some time communicating with over 500k point
29136	lssue	Resolved issue with the Trend task where the "Dead Band" feature stopped working
29202	Issue	Resolved issue that was being caused when calling the X-Ref command and the Mobile Access configuration worksheet, on the Process Values section, had blank lines between other rows with Tags configured on them
29205	Issue	Mobile Access - Resolved issue with the Alarm object and font colors depending or the alarm state
29257	lssue	Removed developer debug messages that were being presented on Remote LogWin when connected to a EmbeddedView runtime
29299	lssue	Added support for non-Latin characters on the Security System combo-box that shows the configured users
29409	lssue	Mobile Access - Resolved issue that prevented the Custom Widget from being loaded after being turned into a Linked Symbol.
29444	lssue	Mobile Access - Resolved issue with the Image List custom widget was not updatin upon property changes
29458	lssue	Mobile Access - resolved issue with the Alarm object, where the filter was not accepting wildcards.
29539	lssue	Mobile Access - Improved enforcing objects Security level settings
29763	Issue	Resolved issue with the TCP/IP Server task that was getting an error when the system was shutting down while processing items from the work list
30376	Issue	Mobile Access - resolved issue with the built-in SendEvent() function causing instability on the runtime when sending messages with too many characters
30923	Issue	Resolved issue with memory handling issues when saving the Security System
25712	Requirement	Resolved issue with Secure Viewer and Web Thin Client taking a long time to start when configured to have a secondary Server and that server is not available
25789	Requirement	Changed the way that the Database Spy information is saved, so it can improve performance in certain low end Windows CE devices, making the project APP file smaller

	https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
Requirement	Implemented the capability to rotate Linked Pictures on the Development Environment for projects not targeted for Embedded or Mobile Access
Requirement	Mobile Access - Improved the synchronism for Tag changes and objects
Requirement	Implemented a feature to validate the security system integrity and warn the user in case it is found to be corrupted
Requirement	Improved the OPC UA Client Log messages when using redundant group
Requirement	Changed the default configurations for sending automatic emails from the Alarm task
Requirement	Improved TCP server to change to use the primary URL in case the backup URL is empty on the primary server but is not empty on the backup server. This can happen due to configuration changes while the application is running.
Requirement	Improved the Web Thin Client performance when using the Web Tunneling Gateway.
Requirement	Changed the way that the Trend task saves data when it starts on Windows Compact Embedded (WinCE) runtimes
Requirement	Resolved issue with the Trend Control object not working properly when loading values from batch files
Requirement	Modified the built-in HST2TXT() function to work also with intervals that do not contain values
Requirement	Modified the PanelMate Import Wizard to automatically perform a "Verify" operation once the Import process has been finished
Requirement	Modified the PanelMate Import Wizard to have the "Indicator Style" set to "Dynamic Text Size"
Requirement	Modified the PanelMate Import Wizard to have improvements on the StudioReadout object
Requirement	Modify the Mobile Access to execute commands and writes in the same order that they happen.
Requirement	Added a new message that now warns the user to close and restart the program when the Quality Feedback Services settings are changed
Requirement	Added the capability to configure the software to generate more than 3 Dump files if needed
Requirement	Removed legacy tasks from the Development Environment for new projects (DDE, ODBC, OPC .Net)
Requirement	Enhanced support for other languages on IoTView
Requirement	Implemented support for gestures on Custom Widgets when they are hosted on the Viewer module
Requirement	Implement the security field for all the objects.
Requirement	Modified the Virtual Keyboard to be able to comply with the settings configured on the .App files, for both bigger and smaller sizes
Requirement	Resolved buffer overflow issue with specific functions
Requirement	Modified the Pushbutton object status behavior to make the "Pressed" state match with the tag values
Requirement	Enabled the connectivity to Wonderware Historian without the need for special license settings
	Requirement

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
27931	Requirement	Implemented support for Engineering Units and Description fields as OPC Attributes.
28076	Requirement	Changed the behavior of the Enter key when using the Log On window to prevent multiple log on attempts when Enter key is held down.
28147	Requirement	Modified some of the text on the Import Wizard for FactoryTalk
28405	Requirement	Modified the Security System when using LDAP Mode to count the number of invalid attempts.
28735	Requirement	Mobile Access - implemented support for Token Authentication for certain applications
28935	Requirement	Modified the behavior of the built-in function CheckESign() so it would use that information also on the Event Logger and on the rest of the Script that is being executed
29164	Requirement	Mobile Access - improvements on the object properties serialization for all objects
29165	Requirement	Mobile Access - Added more features that were present only on the Viewer module before
29176	Requirement	Mobile Access - Implemented more security on Authentication when using the UR to logon
29237	Requirement	Modified the TCP/IP protocol to enhance security
29238	Requirement	Improved the overall product security by removing outdated functions, APIs and errors.
29415	Requirement	Improved performance when opening the Virtual Keyboards even on slow network connections
29508	Requirement	Mobile Access - increased the number of supported built-in functions
29538	Requirement	Improved the TCP/IP modules to better handle large TCP/IP Client Worksheets
29701	Requirement	Mobile Access - Implemented support for the Alignment configuration and Background color
29740	Requirement	Modified Copyright Text on the Help-About Window
29801	Requirement	Resolved conflicts when having a Hardkey from a different vendor connected to th same computer where a Studio Hardkey license is installed
29841	Requirement	Mobile Access - Resolved issue with differences when viewing screens on iOS and Android devices
29908	Requirement	Improved the TCP/Server to avoid socket exception when the system is being shutdown and/or a socket is being closed while processing items from the TCP/Server work list.
29932	Requirement	Modified the projects creation wizard to have the user configuring the Security System, which is now enabled by default
30085	Requirement	Modified the TCP/IP Server in specific areas to differently handle system shutdown and closing sockets.
30203	Requirement	Modified the projects creation settings to no longer have the project translation enabled by default
30436	Requirement	Modified the Output Window, X-Ref, and Find Results window to allow copying their messages
30445	Requirement	Resolved vulnerabilities related to DLL Hijacking
30468	Requirement	Resolved vulnerability issues related to string copy

InTouch Edge HMIv8.1 + Service Pack 1 + Patch 1 (Friday, April 20, 2018)

ID	Туре	Description
27334	Requirement	Implemented support for gestures on Custom Widgets when they are hosted on the Viewer module.

InTouch Edge HMIv8.1 + Service Pack 1 (Friday, March 30, 2018)

ID	Туре	Description
23105	Issue	Mobile Access - Resolved issue with the TextBox "Input Enabled" option.
24890	Issue	Resolved issue with the Automatic Download of custom ActiveX from Web Thin Client pages
24910	Issue	Resolved instability issues in the Development Environment after deleting certain lines in the Alarm Worksheets
24927	Issue	Resolved instability issue with password-protected OPC XML-DA worksheets when the user clicked on the "Cancel" button.
25102	Issue	Resolved issue with the SendEvent() function not working properly when called from Secure Viewer and Web Thin Clients
26661	lssue	Mobile Access - Resolved issue with Font Colors on the Alarm/Event Control
26685	Issue	Mobile Access - Resolved issue with the Mobile Access feature not working properly if the Security System User's Group used to LogOn to it had Spaces.
26687	Issue	Mobile Access - Resolved issue with the ComboBox object when connecting to database as the Data Source.
26688	Issue	Mobile Access - Resolved performance issue when writing to tags by using ComboBox object.
18166	Requirement	Improved the automatic backup procedure of the Security System files
18952	Requirement	Implemented the capability of finding Text and Tags even on password protected documents. The file name only is displayed, not the contents.
20103	Requirement	Added support to Save Tag Values from a IoTView runtime to Wonderware OnLine using JSON/CSV
22073	Requirement	On the OPC UA Client worksheets, under the "Advanced" window, a new option has been created called "Accept Tag Name in the NodeID column". If this option is checked (default), and tags or expressions are configured between curly brackets in the Node ID column, they will be resolved during the runtime. If this option is unchecked, the runtime will not resolve the expressions between curly brackets, and they will be used as part of the NodeID
24154	Requirement	Improved the performance of the Development Environment when editing screens with a large number of Text Boxes and Combo Boxes.
24396	Requirement	Changed the OPC UA Server to properly start in case the guest user is not present in the Security System.

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
24647	Requirement	Resolved issue with the CheckSecurityLevel() built-in function not working properly when configured to use custom properties and mnemonics.
24726	Requirement	On the Security System, a new setting can be configured to set a number of Security System automatic back up files, which can be used for troubleshooting purposes. In the APP file, find the [Options] section and add the following entry with the number of desired backups (in this example, it will generate 10 backup files): MaximumSecurityBackupFiles=10
24830	Requirement	Mobile Access - Improved the performance for the ComboBox object when loading values into tags.
24920	Requirement	Improved the Security System stability by changing some internal operations related to saving the security files
24982	Requirement	Improved the TCP Server stability when handling dead sockets.
25077	Requirement	Modified the Ribbon interface in the way the Tag Properties Window selects the Array position, now keeping the user selected option.
25122	Requirement	Modified the Tag Property/Field "Blocked" to hide all types of alarms
25133	Requirement	Modified the Screen Editor to have a more consistent behavior related to an object position when switching screens and there is an object that is selected.
25169	Requirement	Modified the Trend Worksheet Header to place the "Save on Trigger" checkbox in a different position to show the relationship with the "Trigger" field.
25170	Requirement	Changed the New Project Wizard to no longer show the "Template" window
25173	Requirement	Modified some development environment windows and interfaces that were not formatted correctly
25303	Requirement	Resolved issue with the Security System files being corrupted in certain situations. Also, added the possibility to configure the number of Security System backup files that are created automatically.
25427	Requirement	Resolved issue with EmbeddedView runtime that was causing instability if the startup user was not configured with "Start Project" permissions on the Security System.
25563	Requirement	Removed the ODBC functions from the IDE GUI. Existing projects that use these functions still work but all new projects should use the DB/ERP functions
25569	Requirement	Resolved issue with the built-in Shutdown() function not working properly when called from the Viewer module.
26358	Requirement	Changed the Web Tunneling Gateway to work with the security system enabled on specific conditions
26656	Requirement	Mobile Access - added support to the "Show ???? when quality is not GOOD" option.
26657	Requirement	Increase the Custom Widget update rate on Viewer from 8 fps to 45 fps.
26658	Requirement	Mobile Access - Added support for Proprietary and Binary Alarm History formats
26659	Requirement	Mobile Access - The Alarm Control object was enhanced to support Alarm and Events Custom Fields.
26660	Requirement	Mobile Access - Added support on the Alarm/Event Control object for Foreground and Background colors configured on Alarm Worksheets
26663	Requirement	Implemented support for Viewing PDF files when using Custom Widgets that are hosted on the Viewer module.

11/2015		https://ges/esource.aveva.com/support/paterinxes/infeading_ines/infendity/releasencies.infin
26664	Requirement	Implemented support for Viewing MP4 video files when using Custom Widgets that are hosted on the Viewer module.
26665	Requirement	Implemented support for UTF8 characters when using Custom Widgets that are hosted on the Viewer module.
26666	Requirement	Implemented support for transparency color on Viewer when hosting Custom Widgets.
26667	Requirement	Created a new TreeView custom widget, available in the Custom Widgets Library.
26668	Requirement	Created a new Calendar custom widget, available in the Custom Widgets Library.
26669	Requirement	Created a new ImageList custom widget, available in the Custom Widgets Library.
26670	Requirement	Created a Custom Widgets Library, available in the Custom Widget Object Properties "Import" button.

InTouch Edge HMIv8.1 + Patch 1 (Friday, December 1, 2017)

ID	Туре	Description
23353	Issue	Resolved incompatibility with the "Confirm" windows from the dynamic properties when running on Web Thin Clients
23890	Issue	Resolved issue with the columns width on the Alarm Control not being resized the first time that we open a screen that has that object, if using the "Auto Screen Scaling" feature and the resolution is bigger than the original one from the project
23903	lssue	Modified the ITMEViewApp object to allow the Alarms and Tag values to be updated on the same update rate interval
23921	lssue	Resolved issue with the Email functionalities not working properly when the Data protection feature was enabled
24239	lssue	Resolved issue with the EmbeddeView and CEView runtimes enforcing the old limitations on number of concurrent drivers depending on the license size
23033	Requirement	Resolved issue on EmbeddedView runtime with the Trend task not properly saving data when the project had configurations for proprietary and WW Historian
23072	Requirement	Resolved issue with the Translation tool that was losing rows in certain specific situations
23143	Requirement	Modified the OPC UA Client Write Counter field to also increment when the Write Triggers are used
23355	Requirement	Implemented the capability of the Hint/Tooltip to follow an object in the screen when it has the Rotation Dynamic property
23908	Requirement	Resolved issue with Custom Fonts not appearing on the Fonts selection Dialog
23914	Requirement	Resolved memory management issues found on the Viewer module when using Custom Widgets
24138	Requirement	Resolved issue with the Security System, when in Distributed mode, where the client would fail to reconnect with the Server when the Server machine was not available
24174	Requirement	On the OPC UA Client, added compatibility with certain specific OPC UA Servers

InTouch Edge HMIv8.1 (Tuesday, October 31, 2017)

ID	Туре	Description
18579	lssue	Resolved issue when opening a screen that has mnemonics, Checkboxes and Radio buttons did not receive the parameters from Custom Properties unless placeholder Tag was configured
20363	lssue	Resolved issue with the Trend Task, when configured to use Redundancy, the Synchronization was not working as expected when there were more than 1024 records to be synchronized.
20646	lssue	Resolved issue with the Redundant Database option for Alarm History, where the automatic synchronization was not working properly when the secondary DB became unreachable and, after coming back up, it was leaving out the Record that triggered the Synchronization.
21307	lssue	Resolved issue with the Alarm Control object not working as expected depending on the "Selection" field configuration for the Alarms
21308	Issue	Resolved issue with the Database Gateway *StADOSvrCE.exe" not working properly on Windows Embedded Compact (Windows CE)
21848	Issue	Resolved issue with the Tag Integration for Siemens TIA Portal that was not working with user defined structs containing arrays of nested structs.
22019	Issue	Resolved issue with the "Condition" field on the GRID Control object, which was not working when we use the NOT LIKE comparison option
22045	lssue	Improved the TCP Server and Clients communications reliability to avoid communication problems when messages are discarded by the client and the server send a late response.
22069	Issue	Resolved issue with the TwinCAT (TWCAT) Tag Integration which did not save a use a custom TCP port different than 851
22126	Issue	Resolved issue with the runtime Viewer module when starting several instances at the same time
22463	lssue	Improved stability and performance of all the Tag Integration data sources
22472	Issue	Resolved issue with Tag Integration for TwinCAT (TWCAT) creating an extra array position and causing communication errors
22475	Issue	Resolved issues with the Siemens TIA Portal Tag Integration functionality when using user defined structs that contain arrays of structs or structs of arrays
22507	Issue	Resolved issue with the Alarm/Event Control that was not properly filtering the messages depending on the Start Date and Time and the Time Zone
22703	lssue	Resolved issue with the Alarm Configuration for the Rate type which, after saving an Alarm Worksheet containing that Alarm, it would overwrite any Rate setting to 1/s
22764	Issue	Resolved issue with the Tag Integration for RSLogix 5000 (ABCIP) configuration window not accepting host names, only IP Addresses
23284	lssue	Resolved a Stack-based buffer overflow vulnerability
18121	Requirement	Implemented support to the Smart Message native object in the Mobile Access solution
18122	Requirement	Implemented support to the List Box native object in the Mobile Access solution

1/2019		https://gcsresource.aveva.com/support/patchfixes/1/ReadMe_files/ITEH814/releasenotes.html
18123	Requirement	Implemented support to the Push Button native object in the Mobile Access solution
18142	Requirement	Improved the Trend Control in the Mobile Access solution with the addition of the "Auto Scale" capability
19936	Requirement	Added the Alarm and Event Control objects to the Mobile Access solution
20102	Requirement	Implemented OPCUA Server on IoTView, Embedded View and Windows Runtime.
20105	Requirement	Implemented a new unified way to license Thin Clients
20380	Requirement	Improved the Tag Fields usage on the Mobile Access solution to allow a behavior similar to the Local Viewer
20479	Requirement	Unified the OpenSSL versions across the different Requirements
20679	Requirement	Modified the Insert Linked Picture command to allow keeping the image original size
20821	Requirement	Resolved issue with Retentive Values being lost sporadically on the FullIntegrationSDK and on Windows Embedded Compact (WinCE) runtimes
21055	Requirement	Modified the "Reset Tags Database" command to also reset the Tag Quality to GOOD (192)
21226	Requirement	Modified the Event Logger to start creating records when an invalid user is entered when trying to Log On
21390	Requirement	Improved the VBScript debugger to have a better performance including popping up variables and tag values when hovering the mouse over them
21549	Requirement	Increased the stability when stopping the OPC-UA client task.
21822	Requirement	Re-implemented the System Tag "LastCodeChar_"
21850	Requirement	Implemented new parameters on the ITMEViewApp object to allow the user to configure the Publish Rate for Alarms and Tag Value changes
22098	Requirement	Improved the Mobile Access solution to add support for the built-in Grid object
22099	Requirement	Migrated the Windows OPC UA Client to use OpenSSL 1.0.2k
22144	Requirement	Modified the "Previous" column on the Event Logger Control to start collecting also the first time that a tag value has changed
22390	Requirement	Implemented an option on the App file so that the built-in \$Open() function, when resizing objects, do not resize the fonts
22713	Requirement	Improved the Trend Control object to increase the precision of the Cursor Value property,
22841	Requirement	Improved the RSLogix5000 ABCIP Tag Integration to implemented support for StringFamily Tag Family Types
22948	Requirement	Improvements on the PanelMate Import Wizard related to Wrapping the Captions inside the imported objects
22953	Requirement	Modified the Development Environment to stop capitalizing the letters of screen names when they were being added to Screen Groups
23178	Requirement	Improved the TCP/IP server protection against clients connecting with a different version of the tags database.
23427	Requirement	Improved the Studio Database Gateway to always close all the open database resources avoiding denial of service on projects that require substantial database queries.

23460	Requirement	Implemented the WriteOutOfRange custom parameter to work also on Web Thin Clients
23908	Requirement	Resolved issue with Custom Fonts not appearing on the Fonts selection Dialog